## Construction Seating Range





### Construction Seating

KAB Seating is a specialist manufacturer of vehicle seats KAB Seating work with a large range of OEMs to customise suitable for the Construction, Mining and Material Handling products for their specific environment and application. our latest products which add to our extensive range and offer who offer local advice to help find seats suitable for users' a complete seating solution for the vehicle user.

international legislative standards. Our series of accessories The Sentinel range is now available in Mid Back and Low Back including 2, 3 and 4 point seatbelt systems are packaged as a Modular Product Range which can be adapted for specific OEM requirements, giving the OEM and end user a wide range of choice. We continue to supply a choice of independent and integrated height adjustable seats, as well as seats which are Contact your nearest KAB representative for more details on specially adapted to allow fitment of joy stick controls.

requirements, as well as helping with installation and seat

options and is the perfect fit for Small/Compact construction and Material Handling applications complying with EM6/7/8 &




KAB// Seating Construction Seating Range 3

### **SENTINEL**



### **FEATURES**

- Air 95 suspension
- Mid Back Upper
- Optional recoil seatbelt, headrest and armrests
- 80mm Suspension stroke
- 50-140kg weight range



### **SENTINEL**



### **FEATURES**

- Mechanical 91 suspension
- Low Back Upper
- Optional recoil seatbelt, headrest and armrests
- 80mm Suspension stroke
- 160mm fore/aft adjustment
- 50-120kg weight range



### **FEATURES**

- Mechanical 11 suspensionT1 Mid Back Upper
- Optional recoil lap belt to 15kN
- 150mm Suspension stroke


- 70mm integrated height adjustment
  50-120kg weight range
  Optional 0-180° turntable for backhoes





### **FEATURES**


11/K1


- Mechanical 11 suspension
- K1 Mid Back Upper
- Optional recoil lap belt to 15kN
- 150mm Suspension stroke
- 70mm integrated height adjustment
- 50-120kg weight range

















# 525P


### **FEATURES**

- Mechanical 52 Suspension
- T5 Mid Back Upper
- Optional recoil lap belt to 15kN
- 100mm Suspension stroke
- Vertical 60mm independent height adjustment
- 50-120kg weight range
- Pods to take vehicle joystick controls











- Air 55 Suspension
- T4 High Back Upper
- Optional recoil lap belt to 15kN or 22.2kN with tethers
- 125mm Suspension stroke
- 60mm independent height adjustment
- 50-120kg weight range
- 12v or 24v compressor or manual valve




### **FEATURES**


- Air 65 low frequency suspension
- T4 High Back Upper
- Recoil lap belt to 15kN or 22.2kN
- 160mm Suspension stroke
- 60mm integral height adjustment
- 50-200kg weight range
- 12v or 24v integral compressor or manual valve





61/K1

- Mechanical 61 low frequency suspension
- K1 Mid Back Upper
- Recoil lap belt to 15kN or 22.2kN
- 160mm Suspension stroke
- 60mm integral height adjustment 50-175kg weight range












### **FEATURES**


- Air 65 low frequency suspension
- K4 High Back upper
- C-4 Point Harness belt (SAE J2292)
- 160mm Suspension stroke
- Vertical 60mm integral height adjustment
- 50-200kg weight range
- 12v or 24v integral compressor or manual valve





### **FEATURES**

- Air 65 low frequency suspension
- K4 High Back upper
- B-3 Point belt (SAE J2292)
- 160mm Suspension stroke
- Vertical 60mm integral height adjustment
- 50-200kg weight range
- 24v integral compressor or manual valve





### **FEATURES**


- Air 86 suspension
- K4 High Back upper
- C-4 Point Harness belt (SAE J2292)
- 175mm Suspension stroke
- Vertical 75mm integral height adjustment
- 50-150kg weight range
- 24v integral compressor or manual valve


### **FEATURES**


- Air 85 suspension

85/K1T

- K1 Mid Back upper
- Optional recoil lap belt to 15kN
- 175mm Suspension
- Vertical 75mm integral height adjustment
- 50-120kg weight range
- 12v or 24v integral compressor or manual valve
  0-180° turntable for backhoes







## Accessories to build your KAB seat

Step 1
Seat

Step 2

Installation kit

Step 3
Seat Installed





### KAB//Seating

### **Health and Safety**

It is important that drivers of work vehicles are fully protected from harmful vibrations. KAB seats can eliminate up to 70% of these. Careful seat selection is important and through consultation with KAB Seating's network of Authorised distributors the appropriate seat choice can be made to fit most popular brands.

### Installation

Care should be taken to ensure a correct installation is made and the seat suspension movements and adjustments are free from obstructions in the cab area.

### Maintenance

KAB Seating provides a full range of service parts to ensure seats can be maintained properly, key wear items such as shock absorbers, seat cushions and air valves should be replaced on a regular basis in accordance with the type of usage, amount of usage and environmental factors.

Regular removal of dust and dirt from the seat and cabin will improve the longevity of the seat.

### **KAB UK**

Kab Seating Ltd - Northampton T +44 (0) 1604 790500 E infouk@cvgrp.com www.kabseating.com

### KAB Sweden

Kab Seating AB - Stockholm **T** +46 (0) 8 554 427 00 **E** infosweden@cvgrp.com

### **KAB Belgium**

ab Seating SA - Saintes **T** +32 (0) 2 367 13 10 **E** infobelgium@cvgrp.com

### **CVG World Headquarters**

New Albany, Ohio, USA Tel: (614) 289-5360 **E** info@cvgrp.com www.cvgrp.com

### KAB Australia

Kab Seating Pty. Ltd - Brisbane T +61 (0) 7 3344 0500 E australia.brisbane@cvgrp.com

### **CVG China**

CVG Vehicle Components -Shanghai T +86 21 5958 5801 E infochina@cvgrp.com

### **CVG National Seating USA**

Vonore, Tennessee

T +1 800 354 9621

E infoamerica@cvgrp.com

### www.kabseating.com



KABSeatingUK

Distributor

